NEW: intimus 130 CP5

HIGH VOLUME SHREDDER FOR LARGE OFFICES OR DEPARTMENTS

Up to 25 users

P-5 | Department shredder with sheet capacity of 15 sheets and bin volume of 35.66 gal



Shredding material:

- Paper with staples and paper clips
- Plastic card
- CD / DVD / Blu-ray
- Floppy disk
- Foil

Upgrade your department's document destruction process with our professional departmental shredder, ensuring top-tier security, efficiency, and reliability for all your shredding needs.

With manual feed, it shreds documents into 0.07 x 0.59 in cross-cut pieces, meeting stringent ISO/IEC 21964 (DIN 66399) standards (P-5 / O-4 / T-5 / F-2 / E-4). It handles paper with staples and paper clips, plastic cards, CDs, floppy disks and foil, supporting A3 formats with a 12.2 in intake width. Capable of processing up to 409 sheets per minute at 5.31 in/s, it maximizes productivity.

This shredder's powerful 1.3 HP motor operates quietly at 57 dB(A) and supports continuous operation. The large 35.66-gal collection bag, mounted on a robust metal frame, reduces the frequency of emptying. User-friendly features include an intuitive i-control system with status indicators, automatic start/stop, auto reverse, and energy-saving automatic switch-off after 15 minutes of inactivity.

Safety features such as paper jam protection, overheat and overload protection, and a bin full sensor ensure reliable operation. Optional automatic oiler and castors for mobility enhance functionality. Made in Germany and CE/UKCA certified, this shredder guarantees top quality and security.

KEY FEATURES

- Shreds documents into 0.07 x 0.59 in particles, meeting security level P-5 / O-4 / T-5 / F-2 / E-4 according to ISO/IEC 21964 (DIN 66399) standards.
- Capable of shredding paper with staples and paper clips, plastic cards, CDs, floppy disks and foil.
- Supports A3 formats with a 12.2 in intake width, allowing for the shredding of larger documents.
- Operates quietly at 57 dB(A) and supports continuous.
- Features a 35.66 gal bin volume, reducing the frequency of emptying.
- Includes an intuitive i-control system with visual status indicators.
- Automatic Functions: Automatic start/stop, auto reverse for jam clearing, and energy-saving automatic switch-off after 15 minutes of inactivity.
- Advanced Safety Features: Paper jam protection, overheat protection, overload protection, and a bin full sensor for reliable operation.
- Keeps the shredder in optimal condition with the optional automatic oiler.
- Equipped with castors for easy mobility within the office space.
- Made with a sturdy wood housing, ensuring long-lasting durability.
- Manufactured in Germany, guaranteeing top quality and safety standards.

SPECIFICATIONS

Area of application	Department
Feed type	Manual
Cutting size paper (in x in)	0.1 x 0.6
Cutting type paper	Cross cut
Security level ISO/IEC 21964 (DIN 66399)	P-5 / O-4[5] / T-5[1,5] / F-2 / E-4[3,5]
Shredding material	Paper with staples and paper clips, Plastic card, CD / DVD / Blu-ray, Floppy disk, Foil
Waste disposal solution	Metal frame with reusable bag
Intake width (in)	12.2
Possible paper formats (DIN)	A3
Sheet capacity (80g/m²)	up to 15
Throughput	up to 409 sheets/min
Cutting speed (80g/m²) in/s	5.3
Bin volume (gal)	35.7
Continuous Running	yes
Noise level (idle operation) dB(A)	57
Nominal motor power (HP)	1.0
Power consumption (HP)	1.9
Power supply (V / Hz)	220-230 / 50
Other voltages available	yes
Product dimensions W x D x H (in)	21.3 x 15.7 x 43.3
Product weight (lbs)	101.4
Control operation	i-control
Visual status indication for ...	Ready, Material jam, Door open, Motor overload, Bin full, Oil needed
Automatic start/stop	yes
Auto reverse	yes
Automatic switch-off	yes
Automatic switch-off after x min	15
Paper jam protection	yes
Overheat protection	yes
Overload protection	yes
Bin full sensor	yes
Automatic oiler	optional
Castors	yes
Material machine housing	Wood
Made in Germany	yes
Certificates / Listings	CE, UKCA

1 Only floppy disks / ID cards.

3 Only plastic cards with electronic chip.

5 No splash protection - CD and plastic card destruction only with safety glasses.